

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

PPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
09/708,923	11/08/2000	Joshua Makower	TRNSV-001C	2656
33197 75	90 11/25/2005		EXAMINER	
STOUT, UXA, BUYAN & MULLINS LLP			ISABELLA, DAVID J	
4 VENTURE, S IRVINE, CA			ART UNIT	PAPER NUMBER
,	7-0-0		3738	
				_

DATE MAILED: 11/25/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

SUPPLEMENTAL	Application No.	Applicant(s)	
	09/708,923	MAKOWER ET AL.	
Notice of Allowability	Examiner	Art Unit	
	DAVID J. ISABELLA	3738	
The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHT of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in to or other appropriate commun GHTS. This application is sul	nis application. If not include ication will be mailed in due o	d course. THIS
1. This communication is responsive to <u>11/9/2005</u> .			
2. The allowed claim(s) is/are 1-29 and 31-67.		•	
3. ☐ Acknowledgment is made of a claim for foreign priority una) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. ☐ A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give 5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must including changes required by the Notice of Draftspers.	been received. been received in Application cuments have been received in the communication to file a series. of this communication to file a series. itted. Note the attached EXAM is reason(s) why the oath or det be submitted.	No no this national stage application of the stage application of the stage application of the stage application is deficient.	uirements
1) hereto or 2) to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment or ir	the Office action of	
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t	.84(c)) should be written on the he header according to 37 CFR	drawings in the front (not the 1.121(d).	back) of
6. DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT			ote the
Attachment(s)	_		
1. ☐ Notice of References Cited (PTO-892)		rmal Patent Application (PTC	-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. 🔲 Interview Sun Paper No./M		
3. ★ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	8), 7. ⊠ Examiner's A	ail Date mendment/Comment	·
4. Examiner's Comment Regarding Requirement for Deposit	8. 🗌 Examiner's S	tatement of Reasons for Allov	wance

U.S. Patent and Trademark Office PTOL-37 (Rev. 7-05)

of Biological Material

9. Other ____.

Supplemental Examiner's Amendment

Page 2

An examiner's amendment to the record appears below.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Robert Buyan on 11/9/2005.

Amendments to the Specification:

• Please delete the first two full paragraphs on Page 22, as follows:

Figure 8i is a longitudinal sectional view of a ninth embodiment of an apparatus for modifying an interstitial passageway formed in accordance with the present invention.

Figure 8j is a longitudinal sectional view of a tenth embodiment of an apparatus for modifying an interstitial passageway formed in accordance with the present invention.

Please amend the second, third and fourth paragraphs of Page 24 as follows:

FIG. 11b is a partial longitudinal sectional view through a distal portion of the second embodiment of the transvascular tissue-penetrating catheter device of the present invention <u>during a first stage of a tissue-penetrating procedure</u>.

FIG. 11c is a longitudinal section showing of the device of FIG. 11b during a first stage of a tissue-penetrating procedure.

Application/Control Number: 09/708,923 Page 3

Art Unit: 3738

FIG. 11c is a longitudinal section showing of the device of FIG. 11b during a second stage of a tissue-penetrating procedure.

• Please add the following new paragraphs immediately above the heading "Detailed Description of the Preferred Embodiments" on Page 24:

FIGS. 12a-d is a step-by-step illustration of the first embodiment of the tissue penetrating catheter device and system 100p shown in FIGS. 10-19c'' within a body lumen.

FIGS. 13a-e is a step-by-step illustration of the second embodiment of the passageway forming catheter device and system 100p' with a body lumen.

Application/Control Number: 09/708,923

Art Unit: 3738

Any inquiry concerning this communication or earlier communications from the examiner should be directed to DAVID J. ISABELLA whose telephone number is 571-272-4749. The examiner can normally be reached on MONDAY-FRIDAY.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, CORRINE MCDERMOTT can be reached on 571-272-4754. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

DAVID JISABELLA Primary Examiner Art Unit 3738

DJI 11/15/2005